

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 10603 (1983): Abdominal Belts [MHD 14: Hospital Planning]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE





Indian Standard

SPECIFICATION FOR
ABDOMINAL BELTS

1. Scope — Covers material and dimensional requirements (which are independent of individual clinical requirements) for abdominal belts.

2. Material

2.1 Body — Good quality white satin or drill; or inner lining of canvas cloth and outer cover of good quality coloured poplin cloth.

2.2 Elastic Tape — 152 mm wide, conforming to IS 9686-1980 ' Specification for elastic tape '.

2.3 Front Side — Good quality felt or blanket cloth.

2.4 Padding — Wool, minimum 95 percent.

2.5 Cotton Sewing Thread — Conforming to Variety No. 30 of IS : 1720-1978 ' Specification for cotton sewing threads (second revision) '.

2.6 Fasteners — Roller buckles with leather straps, hooks and loops or tapes 50 mm wide.

2.7 Reinforcement — Polyethylene strips, 1.5 mm thick and 12 mm wide, or tempered steel strips, 12 mm wide.

3. Dimensions — The front height and circumference shall be as follows:

<i>Circumference</i> mm	<i>Front Height</i> mm
610 to 750	200
751 to 1 000	225
1 001 and above	250

4. Manufacture. Workmanship and Finish

4.1 The abdominal belts shall fit the patient snugly.

4.2 If necessary, extra understraps of elastic tape may be provided.

4.3 The elastic tape shall be fitted on left side of the belt.

4.4 All sewing shall be done with lock stitches by turning in the free ends to depth. The abdominal belt shall be tailored neatly.

5. Marking — The belts shall be clearly marked with the manufacturer's name, initials or recognized trade-mark.

5.1 ISI Certification Marking — Details available with the Indian Standards Institution.

6. Packing — As agreed to between the purchaser and the supplier.